



copyright © 2023



- 
- 
- 

- 
- 
- 
- 
- 
- 
- 

<http://www.ruijie.com.cn>

<http://www.ruijie.com.cn/fw/>

7\*24h

<http://ocs.ruijie.com.cn>

7\*24h

4008-111-000

--

<http://www.ruijie.com.cn/special/fw/tool/xryf/>

4008111000@ruijie.com.cn

APP

1.





/

**3.**

# 1 WEB

## 1.1

WEB chrome WEB




/


MF2920U

---

## 1.2







1.

WEB



2.

WEB

1.3.3

1.

/

/

MAC

PoE

/



- [ ] < > !

2.


-


3. POE /ARP

- POE  
[POE ] < > POE



b






< >



VLAN

< >





(2) IP



a



b OUI



C




< >

Voice-VLAN LLDP-MED

< >


< >




### 1.3.5

#### 1.

##### (1) Ping



##### (2)



\_20220118182247.txt

2.

(1)

< > 1





(2)



- 
- 


2~3



### (3) Boot




### Boot




3.

(1)


a



< > config.json



b



< > < >



< >

(2)



- 
- 

2-3

< >



```
Ruijie(diag)#show_sys_info
```

**2-1 show\_sys\_info**

System description	
System software version	
System software number	
System boot version	boot
System serial number	SN
System hardware version	
System mac address	mac

**2.4 IP**

IP ifconfig

```
Ruijie(diag)#ifconfia
```

**2-2 ifconfig**

IP Addr	IP
Network Mask	IP
Gateway IP	
Manage vlan	VLAN

**2.5**

cat

write

## 2.6 Ping

ping

**ping**